CANCOM



Service Level Agreement

(Service Description)

Customer Support Management

Code: MS-CSPM Version: 3.0

Valid from 01.01.2025



Service of the contractor

This document describes the services of the service module, which are provided as part of the contract concluded between the client (CL) and the contractor (CO). The responsibilities of the services described are based on a RACI model. Explanations of terms and contact information for the Customer Service Center can be found under the following <u>link</u>.

Unless otherwise agreed, the following service goals apply as standard: Service time "SNAZ" (NWH) with a response time of 4 hours.

Customer Support Management

Customer Support Management is the primary point of contact for issues relating to all services provided by the Contractor.

| Initial Services | СО | CL |
|--|-----|-----|
| Coordinate a series of service meetings with the customer and send them out | R/A | C/I |
| Set up a process for coordinating maintenance windows with the customer | R/A | C/I |
| Creation of the service manual and coordination of the contents together with the customer and provision on a shared document repository | R/A | C/I |
| Setting up and configuring the service reports in the contractor's service management system | R/A | C/I |

| Recurring Services | СО | CL |
|--|-----|-----|
| Planning and holding meetings | | |
| The contractor's service support management regularly organizes and conducts the agreed meetings with the client during normal working hours (according to the chapter "Agreed consumption units"). These are held remotely as standard, unless otherwise agreed. The content of the meetings includes, for example, findings gained from the contractor's services, organizational improvement suggestions or planning activities and measures. | R/A | C/I |
| Contact person for process changes in services | | |
| The client informs the contractor's service support management about issues relating to the services, such as access regulations, responsibilities or contact details of contact persons. The contractor's service support management forwards this information within the contractor to the relevant departments for processing. | R/A | C/I |
| The contractor's service support management informs the client about important issues relating to the service object (such as changes to remote maintenance access). The client will create the necessary framework conditions internally if necessary. | | |

| are agreemanagemainten are depmainten Mainten for sevemanage provided the ma | eed in advance for proacement and communication ance windows to Service endent on the contraction ance operations can the contraction ance windows do not eval maintenance operatement according to the distribution with appropriate researchement window). | active service modules ated to the people af rice Support Managem actor's services. Main take place without affe necessarily have to be ations. The maintenance dependencies and erve times (for any ne Maintenance operat with the client. The client | ed by the contractor, maintenance wand set up in the systems by Service fected. The client also reports the ent for systems maintained by the client and or endangering the client's operation of endangering the client's operations are ranked by Service I risks within a maintenance windows are approved by Service itent must ensure that all requiremental intenance windows. | Support relevant lient that ds when erations. be used Support low and o before Support | R/A | C/I |
|--|--|--|--|--|-----|-----|
| Update | e of the service ma | nual | | | | |
| | | anual for ongoing ser | vice provision, which contains, for e | example, | | |
| manual records the term | documents all details those agreements that of the contract (e.g. of | of the service provision at are necessary for se contact persons). The | contact details of the contact person based on this service level agreementice provision and that may change manual is maintained by the contract hared document repository. | ns. This nent and e during | R/A | C/I |
| manual records the term new ver | documents all details those agreements that of the contract (e.g. of | of the service provision at are necessary for se contact persons). The | n based on this service level agreemervice provision and that may change manual is maintained by the contract | ns. This nent and e during | R/A | C/I |
| manual records the term new ver Creatir The con with the systems The repelled the control of the repelled the control of the repelled the control of the con | those agreements that of the contract (e.g. of the contract (e.g. of the contract (e.g. of the contract of the | of the service provision at are necessary for secontact persons). The ble to the client on a sees the standard incider the contractor's data of the services. | n based on this service level agreemervice provision and that may change manual is maintained by the contract | ns. This nent and e during ctor and the table ded and neetings. | R/A | C/I |
| manual records the term new ver Creatir The con with the systems The report of the control of | documents all details of those agreements that of the contract (e.g. of the contract (e.g. of the contract of | of the service provision at are necessary for secontact persons). The ble to the client on a sees the standard incider the contractor's data of the services. | n based on this service level agreementice provision and that may change manual is maintained by the contract hared document repository. It or change service reports listed in the warehouse on the services provided discussed together in the planned metals. | ns. This nent and e during ctor and the table ded and neetings. | | |
| manual records the term new ver Creatir The con with the systems The repeller the control of the repeller the control of the repeller the control of the con | those agreements that of the contract (e.g. of the contract (e.g. of the contract (e.g. of the contract of the | of the service provision at are necessary for secontact persons). The ble to the client on a ses the standard incider the contractor's data of the services. To soft Excel format and ing period is shorter eetings. | n based on this service level agreementice provision and that may change manual is maintained by the contract hared document repository. Into or change service reports listed in the warehouse on the services provided discussed together in the planned methan the meeting period, the reports in the planned methan the meeting period, the reports in the planned methan the meeting period, the reports in the planned methan the meeting period, the reports in the planned methan the meeting period, the reports in the planned methan the meeting period, the reports in the planned methan the meeting period, the reports in the planned methan the meeting period, the reports in the planned methan the meeting period, the reports in the planned methan the meeting period, the reports in the planned methan the meeting period, the reports in the planned methan the meeting period in the planned methan the planned methan the meeting period in the planned methan the plan | ns. This nent and e during ctor and the table ded and neetings. | | |

Services not included

Escalations of faults via Service Support Management that only affect individual end users or devices

CANCOM

